Section 1 - Product Information							
Product Name:	Clearly Better New York	Supplier:	Clearly Better, LLC				
Product Code N	lumber: 20126	Information Phone: 314-771-6600	Address:	1100 Central Industrial Drive			
Product use:	Air freshener	Emergency Contact: CHEMTREC 800-424-9300		St Louis, MO 63110			

Section 2 - Hazard Identification

GHS Classification in accordance with OSHA 29 CFR 1910: Skin sensitization - Category 1B, Aspiration toxicity Category 1

Section 2.1 - Label Elements

Hazard Pictograms:



Signal Word: Danger

Hazard Statements:

May cause allergic skin reaction. May be fatal if swallowed and enters airways.

Precautionary Statements:

Prevention:

Wash face, hands, and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing mist/vapors/spray.Contaminated work clothing should not be allowed out of the workplace.

Response:

Specific treatment (see supplemental first aid instructions on this label).

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice.

Wash contaminated clothing before reuse

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting

Storage

Store locked up.

Disposal

Dispose of contents/container to an approved waste disposal plant

Section 3 - Composition

Chemical Name Percent w/w

The identity of individual components of this mixture is proprietary information and is regarded to be a trade secret in accordance with the provision 1910.1200 of the Code of Federal Regulations.

Section 4 - First Aid Measures

Eyes: Remove contact lenses. Flush immediately with plenty of cool running water, continue to flush for 15 minutes, consult a physician

Skin: Wash thoroughly with plenty of soap and water, flush skin with cool running water, consult a physician if irritation persists.

Ingestion: Consult a physician.

Inhalation: Remove to fresh air, consult physician if rapid recovery does not occur.

	Section 5 The analexplosion nazara bata								
Flash Point:	Limits	LAUTIGUISTITIG IVICUIA.	Special Fire Fighting Procedures: Avoid exposure to fumes or vapors. Wear self-contained						
> 200 ºF	LLL. IVL	ose extinguishing measures	positive pressurized breathing apparatus MSHA/NIOSH Approved or equivalent to maintain TLV. UNUSUAL FIRE & EXPLOSION HAZARD: No information available.						
	UEL: NE	appropriate to local circumstances.	The man service of the control of th						

Section 6 - Accidental Release Measures

For small spills: Add inert absorbent material to absorb liquid. Sweep up, and dispose of in accordance with federal, state and local regulations.

For large spills: Dike to contain and pump into drums for use or dispose of in accordance with federal, state and local regulations. Do not dispose of in sewer, soil, or aquatic environment.

Section 7 - Handling and Storage

General Measures: Handle in accordance with good industrial hygiene and safety practice. Keep container closed when not in use. Wash thoroughly after handling. No known incompatibilities.

			Sec	tion 8 - Exp	osure Cont	rols/PPE				
Ingre	edient	OSHA PEL:	ACGIH TLV		PPE	,	Ge	neral Hygiene Considerati	ons:	
Ingredient OSHA PEL: ACGIH TLV This product does not contain any hazardousmaterials with			Respiratory: Not normally required			General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practices. Provide suitable facilities for quick				
occupational exposure limits established by region specific				Eye: Safety glasses						
regulatory bodi	es			Skin:	chemical resista	ant gloves	contact or spla	ushing of the eyes and body sh hazard.	/ In case of	
					normal room ve					
			Section 9	9 - Physical	and Chemic	cal Properti	es			
						Evaporation		Upper/lower	Vapor	
Appearance	odor	odor threshold	pН	Melting Point		rate	Flash Point	flammability limits	pressure	
yellow liquid	characteristic	no info	NA	NE	NE	NE	>200ºF	NE	NE	
Vapor Density	Density (lbs/gal)	Specific Gravity	pH(use dil)	Solubility (in water)	Partition coefficient	Auto Ignition temp	Decompositio n Temp	Viscosity		
> air	7.36	0.883	NA	insoluable	NE	NE	NE	NE		
		-	Sect	ion 10 - Sta	bility and R	Reactivity	-			
		and recommended lilities or hazardous d			. Hazardous poly	merization will	not occur. Avoid	extremes of temperature	and direct	
			Secti	on 11- Toxi	cological In	formation				
ingre	edient	Acute toxicity(oral LD50) rat	Acute toxicity(derm. LD50)rabbit	Skin and Eye	Carcinogen	Mutagen	Reproduct. Toxicity	STOST -single Exposure	STOST Repeated exposure	
current standar be considered a	rd toxicological e and handled as it se toxicity values		to predict pote nazards and cons 50 -7459 mg/kg	ntial hazards to sequently treate	susceptible indiv d with all possib	viduals or arising le precaution.	g from unforesee	ographies. In view of the dieable potentiation, this prepared to the control of the dieable potentiation, this prepared to the control of the dieable potential of the diea		
Ecological studies have not been carried out on this product.					Dispose of in accordance with Federal, State and local regulations. Do not empty into drains.					
			Sec	tion 14 - Tra	ansport Info	ormation				
UN number			Basic Descript				Class	Packing Group	LTD QTY	
			Not regul	ated						
			Sect	ion 15 - Reg	gulatory Inf	ormation				
Regula	tory Overview:		II inclusive, only	•			•	FR 19. The regulatory data duct are listed ont the TSCS		
			Fire	Yes				SARA 313 (TRI)	No	
		Sudden Rele	ease of Pressure	No	CAA Section 112 Hazardous Air Pollutant No			No		
			Donativo	No	CAA Section 112R Risk Management Plan No			No		
US EPA	Tier II Hazards:		Reactive	140			Chemicals regulated by states right to know.			
US EPA	Tier II Hazards:	Im	mediate(acute)			65: To the best	Chemicals regu	lated by states right to kno	w.	
US EPA	Tier II Hazards:			Yes	of our knowled	dge this product		lated by states right to kno Butylated Hydroxy Toluen		
US EPA			mediate(acute) elayed(chronic)	Yes No	of our knowled does	dge this product not contain any		1	e	
US EPA		02 Extremely Hazard	mediate(acute) elayed(chronic)	Yes No No	of our knowled does	dge this product not contain any y added Prop 65	Massachusetts	Butylated Hydroxy Toluen	e e	

Section 16 - Other Information							
			HMIS	: Health - 2	Flam 0	R - 0	PPE- B
Date Prepared: 20 July 2020		Prepared by: Environmental, Health and Safety Administrator.					
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is							
designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The							

information relates only to the specific material designated and may not be valid for such material used in combination with materials or in any process, unless specified in the

Legend for Abbreviations: NA - not applicable NE - Not Established